

8300136

# THE DAININD SHAVES OF ANDERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

# Asgrow Seed Company

Colherens, there has been presented to the

#### Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF Eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1T, 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'A6520'

In Lestimonn Wherevot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 31st day of August in the year of our Lord one thousand nine hundred and eighty-four.

John R Block Secretary of Agriculture

State

Lenneth H, Ec Commissioner Plant Variety Protection Office

And the second s

UNITED STATES DEPARTME AGRICULTURAL MARK LIVESTOCK, POULTRY, GRA	ETING SERVICE			FORM APPROVED OMB NO. 40-R3822		
APPLICATION FOR PLANT VARIE INSTRUCTIONS: See Reverse.	TY PROTECTIO	N CERTIFICATE	No certificate for pla be issued unless a co has been received (5 l	ant variety protection may empleted application form U.S.C. 553).		
1a. TEMPORARY DESIGNATION OF VARIETY	1b. VARIETY NAM	E	-	AL USE ONLY		
XP6520	A6520		8300136			
2. KIND NAME	3. GENUS AND SPE	CIES NAME	FILING DATE	TIME A.M.		
Soybean	Glycine Max		5/20/83 FEE RECEIVED	8:30 RXX		
4. FAMILY NAME (BOTANICAL)	5. DATE OF DETER	NOITANIME	\$ <u>1,000</u>	5/20/83		
Leguminosae	1981		\$ <del>-500.00</del>	7/25/84		
6. NAME OF APPLICANT(S)		t and No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA		
Asgrow Seed Company	Gul Gul	0 190 25 1 Road, Buildir		CODE AND NUMBER		
9. IF THE NAMED APPLICANT IS NOT A PE	Kali		9001	(616) 385-6605		
ORGANIZATION: (Corporation, partnersh	ip, association, etc.)	DATE OF INCOR	ED, GIVE STATE AND PORATION	11. DATE OF INCOR- PORATION		
Corporation		Delaware		March 22, 1968		
12. NAME AND MAILING ADDRESS OF APP ALL PAPERS:		ATIVE(S), IF ANY, TO S	SERVE IN THIS APPLIC	CATION AND RECEIVE		
John A. Batch (9620 190 25)		Asgrow See	ed Company			
(9620 190 25) Gull Road, Bu 13. CHECK BOX BELOW FOR EACH ATTACE	ilding 190	<u>Kalamazoo</u>	MI 49001	· · · · · · · · · · · · · · · · · · ·		
13A. Exhibit A, Origin and Bree		Voriaty (Saa Saatian 6	52 of the Dlant Warint	v Dundaskinu Ask l		
13B. Exhibit B, Novelty Statem		variety (See Section 3	52 Of the Plant Variety	y Protection Act.)		
	•					
13C. Exhibit C, Objective Descr	•	•	Plant Variety Protect	ion Office.)		
13D. Exhibit D, Additional Desc	cription of the Varie	ty.				
14a. DOES THE APPLICANT(S) SPECIFY THAT SEED? (See Section 83(a). (If "Yes," answe	TSEED OF THIS VAR er 14B and 14C below.)		RIETY NAME ONLY AS	A CLASS OF CERTIFIED		
14b. DOES THE APPLICANT(S) SPECIFY THAT	T THIS VARIETY BE	14c. IF "YES," TO 14	B, HOW MANY GENER	ATIONS OF PRODUC-		
TYES TNO	ONST	TION BEYOND B	REGISTERED	CERTIFIED		
15a. DID THE APPLICANT(S) FILE FOR PROT	ECTION OF THIS VAR			NO (If "Yes," give		
name of countries and dates.)			ш	[A] (2) 100, 8m		
15b. HAVE RIGHTS BEEN GRANTED THIS VA	BIETY IN OTHER CO	INTRIES TVES	MNO CESTA	-tu £ t		
and dates.)	MIETT IN OTHER CO	UNTRIES? TYES	[A] NO (15. "Yes,"	give name of countries		
		4				
16. DOES THE APPLICANT(S) AGREE TO THE JOURNAL?	PUBLICATION OF H	IIS/HER (THEIR) NAMI	E(S) AND ADDRESS IN	THE OFFICIAL		
17. The applicant(s) declare(s) that a viable replenished upon request in accordance	sample of basic seed	l of this variety will b	e furnished with the a	application and will be		
The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable at 42 of the Plant Variety Act.	e owner(s) of this se	xually reproduced no	vel plant variety, and	believe(s) that the e provisions of Section		
Applicant(s) is (are) informed that false	representation here	in can jeopardize prot	tection and result in p	enalties.		
Cypil 27,1983		Jan. a. B	atthe			
(DATE)		18	SIGNATURE OF APPLI	CANT)		
		Mr. John A.	Batcha			

(DATE) FORM GR-470 (1-78)

### EXHIBIT A

#### ORIGIN AND BREEDING HISTORY OF XP6520

1976 Winter - Original cross made in greenhouse at Ames, IA. (Feb. 1976).

Cross No: GH76367

Parents: (Trace \* D6064 ) \* J74-122

Tracy - D61-618 (Hill 2) \* PI171 442) \* D60-9647 (FC31745 \*D49 250) D5064 = F selection from Williams \* Mack

 $J74-122 = (Forrest^3 * PI88788)$ 

1976 10  $F_7$  seed planted at Caruthersville, MO (May 24, 1976) Approximately 2,000  $F_7$  seed produced.

Spring - 800 F<sub>2</sub> plants screened for resistance to Race 4 cyst nematode under contract<sup>2</sup>with University of MO at Portageville, MO.

Race 4 resistant planted, identified, and transplanted in the field at Caruthersville, MO. The line GH76367-12 was identified at this stage.

- Summer F<sub>3</sub> seed produced and harvested from resistant plants including GH76367-12.
- 1977 78 Winter On October 24, 1977, 90% of F<sub>3</sub> seeds from GH76367-12 were shipped to Del Ray Beach, Florida to Be grown in the winter nursery.
- Spring Three pounds of F<sub>2</sub> derived seed of GH76367-12 F<sub>3</sub> plus 5 F<sub>3</sub> single plant selections were harvested and forwarded to Ames, Iowa.
- 1978 Yield trials of heterogeneous  $F_2$  derived  $F_3$  lines, including GH76367-12 and standard checks were grown at Dyersburg and Henning, TN on cyst nematode infested soil. Five  $F_4$  plant rows from GH76367-12 were grown at Portageville, MO under irrigation.

Two selections of GH76367-12 were made from the five rows being grown. These were selected because of their uniformity, agronomic traits, and cyst nematode resistance of the mother line shown in the field tests at Dyersburg and Henning. The plant row, GH76367-12 M8070 was selected and identified as X6320 at this stage.

- 1978 79 Winter Two pounds of  $F_5$  seed of X6320 were sent to Del Ray Beach, Florida for increase and purity check.
- Summer Twenty pounds of Breeder seed were planted at Caruthersville, MO on May 15, 1979. The increase was observed to be segregating for light and dark green leaf color. 50 F<sub>5</sub> single plant selections were pulled to isolate a more uniform type.

X6320 was yield tested in replicated plots in Clarkton, MO; Dyersburg, TN; Tunica, MS; Urbana, VA; and Elizabeth City, NC. Cyst counts were taken from soil samples on XP6320, other lines and on cultivars commonly grown.

1980

Summer -  $50~F_6$  progeny rows were planted and 28~rows uniform for dark leaf color and maturity were harvested individually. Yield data was retrieved from only 3 locations in 1980 due to severe drought.

1980 - 81

Winter - Each of the 28 rows uniform for leaf color, and maturity were screened and found to be resistant to Race 4 of cyst nematode and Race 7 of phytophthora root rot in greenhouse tests at Marion, AR and Ames, IA respectively. Six pounds of seed composited from these 28 rows were sent to Florida for increase. It was observed that XP6320 was uniform, stable, and unique.

1981

Summer - One hundred pounds of breeder seed planted from the Florida increase on June 10, 1981, and increased to 100 units of Basic Seed.

1982

Summer - Tested at 7 Asgrow locations and several state tests. Renamed to A6520.

Observations indicate A6520 is uniform and stable within comercially acceptable limits. As is true with other soybean varieties, a small percentage of variants or offtypes can occur within commercially acceptable limits, for almost any characteristic during the course of repeated multiplication.

### EXHIBIT B

## Novelty Statement

To our knowledge, A6520 most resembles cultivar "Tracy M". The characteristics which distinguish A6520 from Tracy M include but are not necessarily restricted to purple flower color, resistance to Races 3 and 4 of soybean cyst nematode, phytophthora reaction, and metribuzin sensitivity. Tracy M has white flowers and is susceptible to cyst nematode. Tracy M has genes Rps<sub>1</sub> and Rps<sub>3</sub> for phytophthora resistance giving resistance to Races 1-9. A6520 has the gene Rps<sub>1</sub> giving resistance to Race 1 and Races 3-9. A6520 is also sensitive to the herbicide metribuzin where Tracy M is tolerant.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

## **OBJECTIVE DESCRIPTION OF VARIETY**

SOY	BEAN (Glycine max L.)		
NAME OF APPLICANT(S)	TEMPORARY DESIGNAT	ION VARIETY NAME	
Asgrow Seed Company	XP6520	A6520	<u>.</u>
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip	Code)	FOR OFFICIAL USE ONLY	
9620 190 25	•	PVPO NUMBER	
Kalamazoo, MI 49001		8300136	
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide	e variety in the features descri ded, place a zero in the first b	ibed below. When the number of significant ox when number is 9 or less (e.g., 0 9	digit ).
1. SEED SHAPE:  2  1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	W T 2 = Spherical Flatt	rened (L/W ratio > 1.2; L/T ratio = < 1.2)	
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		ened (L/T ratio > 1.2; T/W > 1.2)	
2. SEED COAT COLOR: (Mature Seed)			
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = 0	Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('I	Nebsoy'; 'Gasoy 17')		-
4. SEED SIZE: (Mature Seed)			
] 5 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfe	ct Black 6 = Black 7 = Other (Specify	'γ <i>)</i>
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High MIXTURE [	Ep ep		
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1	įb <sub>)</sub>		
9. HYPOCOTYL COLOR:			
3 = Green only ('Evans'; 'Davis') 2 = Green 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 4 = Dark Purple extending to unifoliate leaves ('Hodge		lons ('Woodworth'; 'Tracy')	<u></u>
10. LEAFLET SHAPE:	· · · ·		
3 1 = Lanceolate 2 = Oval 3 = O	vate 4 = Other (Specify		

	P	sgrow Seed Company Application A6520	8300136
11. L		ET SIZE:	
	3	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. L	EAF (	COLOR:	
	3	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. F	LOW	R COLOR:	
	2	1 = White 2 = Purple 3 = White with purple throat	
14. P	OD CO	DLOR:	
	1	1 = Tan 2 = Brown 3 = Black	
15. P	LANT	PUBESCENCE COLOR:	
: · · [	2	1 = Gray 2 = Brown (Tawny)	
16. P	LANT	TYPES:	
	2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. P	LANT	HABIT:	
	1	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. M	IATU	RITY GROUP:	
0	9	1 = 000	8 = V
19. D	ISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
]	васт	ERIAL DISEASES:  Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
	=		
Į.		Bacterial Blight (Pseudomonas glycinea)	
	2	Wildfire (Pseudomonas tabaci)	
F	UNGA	L DISEASES:	
	0	Brown Spot (Septaria glycines)	en de la companya de La companya de la co
		Frogeye Leaf Spot (Cercospora sojina)	
[	0	Race 1 Race 2 Race 3 Race 4 Race 5 Other	er (Specify)
	0	Target Spot (Corynespora cassiicola)	
	0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
ļ	0	Powdery Mildew (Microsphaera diffusa)	
	0	Brown Stem Rot (Cephalosporium gregatum)	
	2	Stem Canker (Diaporthe phaseolorum var. caulivora)	

Asgrow Seed	<u>Comppany Application Applicat</u>	A6520	930019	10
19. DISEASE REACTI	ON: (Enter 0 = Not Tested; 1 = Susceptible;	2 = Resistant) (Continued)		
FUNGAL DISEA	SES: (Continued)			
O Pod and St	tem Blight <i>(Diaporthe phaseolorum</i> var; sojae	) ·		
O Purple See	d Stain <i>(Cercospora kikuchii)</i>			
0 Rhizoctoni	ia Root Rot (Rhizoctonia solani)	•		
Phytophth	ora Rot <i>(Phytophthora megasperma</i> var. <i>soja</i>	e)		
2 Race 1	Race 2 2 Race 3	2 Race 4 2 Race 5	2 Race 6 2	Race 7
2 Race 8	2 Race 9 2 Other (Specify			
VIRAL DISEASE	s:			
0 Bud Blight	(Tobacco Ringspot Virus)			
	saic (Bean Yellow Mosaic Virus)	•		
	saic (Cowpea Chlorotic Virus)			
	(Bean Pod Mottle Virus)			
<del></del>	(Soybean Mosaic Virus)			
NEMATODE DISE	EASES:			
Soybean Cy	st Nematode (Heterodera glycines)		4 2	
Race 1	0 Race 2 2 Race 3	2 Race 4 Other (S	Specify)	·
Lance Nema	atode (Hopiciaimus Colombus)	·		
] Southern Ro	oot Knot Nematode (Meloidogyne incognita)	,		
0 Northern Ro	oot Knot Nematode (Meloidogyne Hapla)			
Peanut Root	Knot Nematode (Meloidogyne arenaria)			
0 Reniform Ne	ematode (Rotylenchulus reniformis)			
OTHER DIS	EASE NOT ON FORM (Specify):			
	ESPONSES: (Enter 0 = Not Tested; 1 = Sus	ceptible; 2 = Resistant)	•	
0 Iron Chloros	is on Calcareous Soil			
Other (Special	fv)			
21. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant)		
0 Mexican Bear	n Beetle (Epilachna varivestis)			
0 Potato Leaf I	Hopper (Empoasca fabae)			;
Other (Specif	(y)		·	•
22. INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES T	JAT CHDMITTED		
CHARACTER	NAME OF VARIETY		SIAME OF LABOR	
Plant Shape	Tracy M	CHARACTER Seed Coat Luster	NAME OF VARIE Bedford	:   Y
Leaf Shape	Tracy M	Seed Coat Luster	Centennial	
Leaf Color	Tracy M	Seed Shape	Centennial	
Leaf Size	Tracy M	Seedling Pigmentation	Centennial	
			ocarocini (d.)	·
FORM LMGS-470-57 (2-8	2)		OOOGTO	Page 3 of 4

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

						-			
VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
XP6520 Submitted	139	1.4	82	8.5	13.3	40.9	17.4	15.0	-
TRACY M Name of Similar Variety	138	2.6	80	8.5	13.8	40.3	16.5	17.0	

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.